Bill No.1st and Final

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256101

Serial No. BR. 182/30-6-14

Name of Work Improvements to Roads and Drains at Amaravathi colony, Anjanadri layout From ..... To ..... in WNO.6

Name of Contractor of nature of Agency KRIDL

Date of commencement of work 22-02-2014

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Work code No: 006-14-000047 | | | | | | |
| | Work order No: 403/13-14/21.02.2014 | | | | | | |
| | Est Amt: 60.00 lakhs | | | | | | |
| | Date of Recording: 12-6-2014. | | | | | | |
| | 1) Earth work excavation by manual means in hard soil involving an average horizontal throw upto 2m and average lift upto 0.5m excavated surface levelled and sides neatly dressed etc | | | | | | |
| | Desilting of Drain | | | | | | |
| | CR ① | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.30 | 8.10 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | CR (1) | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 20.00 | 0.45 | 0.40 | 7.20 | |
| | CR (3) | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 5.00 | 0.45 | 0.45 | 2.03 | |
| | CR (4) | 2 | 30.00 | 0.45 | 0.30 | 8.10 | |
| | | 2 | 30.00 | 0.45 | 0.45 | 10.80 | |
| | | 2 | 6.00 | 0.45 | 0.40 | 2.16 | |
| | CR (5) | 2 | 30.00 | 0.45 | 0.30 | 8.10 | |
| | | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 24.00 | 0.45 | 0.30 | 6.48 | |
| | CR (6) | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ....

| Date | Full description, etc, of wo |
|---|---|
| 1 | 2 |
| | CR |
| | CR |

OK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| 0.35 | 9.45 | |
| 0.45 | 12.15 | |
| 0.35 | 9.45 | |
| 0.40 | 7.20 | |
| 0.35 | 9.45 | |
| 0.35 | 9.45 | |
| 0.45 | 2.03 | |
| 0.30 | 8.10 | |
| 0.45 | 10.80 | |
| 0.40 | 2.16 | |
| 0.30 | 8.10 | |
| 0.45 | 12.15 | |
| 0.30 | 6.48 | |
| 0.45 | 12.15 | |
| 0.35 | 9.45 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256102

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 32.00 | 0.45 | 0.45 | 12.96 | |
| | CR (7) | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.40 | 10.80 | |
| | | 2 | 5.00 | 0.45 | 0.30 | 1.35 | |
| | CR (8) | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 24.00 | 0.45 | 0.40 | 8.64 | |
| | | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.40 | 10.80 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.45 | 12.15 | |
| | | 2 | 30.00 | 0.45 | 0.30 | 8.10 | |
| | | 2 | 30.00 | 0.45 | 0.40 | 10.81 | |
| | | 2 | 30.00 | 0.45 | 0.35 | 9.45 | |
| | | 2 | 30.00 | 0.45 | 0.40 | 10.80 | |
| | Berm cutting CR ① | 2 | 30.00 | 1.50 | 0.25 | 22.86 | |
| | | 2 | 30.00 | 1.50 | 0.35 | 31.50 | |
| | | 2 | 30.00 | 1.35 | 0.25 | 20.25 | |
| | CR ② | 2 | 30.00 | 0.80 | 0.20 | 10.80 | |
| | | 2 | 30.00 | 1.20 | 0.30 | 21.60 | |
| | | 2 | 20.00 | 0.80 | 0.25 | 9.00 | |
| | CR ③ | 2 | 30.00 | 1.05 | 0.20 | 12.60 | |
| | | 2 | 30.00 | 1.50 | 0.25 | 22.50 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | CR ④ |
| | CR ⑤ |
| | CR ⑥ |

| pth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| 35 | 8·45 | |
| 45 | 12·15 | |
| ·30 | 8·10 | |
| ·40 | 10·87 | |
| ·35 | 8·45 | |
| 0·40 | 10·80 | |
| | | |
| 0·25 | 22·86 | |
| 0·35 | 31·50 | |
| 0·25 | 20·25 | |
| 0·20 | 10·80 | |
| 0·30 | 21·60 | |
| 0·25 | 9·00 | |
| 0·20 | 12·60 | |
| 0·25 | 22·50 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

256103

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 2 | 5·00 | 1·20 | 0·30 | 3·60 | |
| | CR ④ | 2 | 30·00 | 1·25 | 0·15 | 11·25 | |
| | | 2 | 30·00 | 1·50 | 0·20 | 18·00 | |
| | | 2 | 30·00 | 1·15 | 0·15 | 10·35 | |
| | | 2 | 30·00 | 1·20 | 0·25 | 18·00 | |
| | | 2 | 6·00 | 1·20 | 0·30 | 4·32 | |
| | CR ⑤ | 2 | 30·00 | 1·35 | 015 | 12·15 | |
| | | 2 | 30·00 | 1·45 | 0·15 | 16·20 | |
| | | 2 | 30·00 | 1·25 | 0·20 | 13·05 | |
| | | 2 | 24·00 | 1·00 | 0·30 | 14·40 | |
| | CR ⑥ | 2 | 30·00 | 1·25 | 0·25 | 18·75 | |
| | | 2 | 30·00 | 1·25 | 0·20 | 15·00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | 1.25 | 0.20 | 15.00 | |
| | | 2 | 32.00 | 1.00 | 0.20 | 76.80 | |
| | CR (7) | 2 | 30.00 | 1.50 | 0.25 | 22.50 | |
| | | 2 | 30.00 | 1.35 | 0.30 | 24.30 | |
| | | 2 | 30.00 | 1.35 | 0.30 | 24.30 | |
| | | 2 | 30.00 | 1.25 | 0.25 | 18.75 | |
| | | 2 | 3.00 | 1.80 | 0.30 | 5.40 | |
| | CR (8) | 2 | 30.00 | 1.35 | 0.20 | 16.20 | |
| | | 2 | 30.00 | 1.50 | 0.25 | 18.00 | |
| | | 2 | 30.00 | 1.50 | 0.25 | 18.00 | |
| | | 2 | 24.00 | 1.35 | 0.25 | 16.20 | |
| | | 2 | 30.00 | 0.90 | 0.20 | 10.80 | |
| | | 2 | 30.00 | 1.45 | 0.30 | 26.10 | |
| | | 2 | 30.00 | 1.00 | 0.25 | 15.00 | |
| | | 2 | 30.00 | 1.25 | 0.20 | 15.00 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work .....

| Date | Full description, etc, of wo |
|---|---|
| 1 | 2 |
| | 2) Removing BS Slab |
| | CR |
| | CR |

BOOK

| s | | Contents | Reference to last Measurement |
|---|---|---|---|
| adth 5 | Depth 6 | 7 | 8 |
| 25 | 0.20 | 15.00 | |
| 00 | 0.20 | 76.80 | |
| 50 | 0.25 | 22.50 | |
| 35 | 0.30 | 24.30 | |
| 35 | 0.30 | 24.30 | |
| 25 | 0.25 | 18.75 | |
| 80 | 0.30 | 5.40 | |
| 35 | 0.20 | 16.20 | |
| 50 | 0.25 | 18.00 | |
| 50 | 0.25 | 18.00 | |
| 35 | 0.25 | 16.20 | |
| 90 | 0.20 | 10.80 | |
| 45 | 0.30 | 26.10 | |
| 00 | 0.25 | 15.00 | |
| 25 | 0.20 | 15.00 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256104

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 2 | 30.00 | 1.25 | 0.25 | 18.78 | |
| | | 2 | 30.00 | 1.20 | 0.15 | 10.80 | |
| | | 2 | 30.00 | 1.50 | 0.20 | 19.20 | |
| | | 2 | 30.00 | 1.25 | 0.30 | 22.50 | |
| | | | | | | 1070.55 cum | |
| | | | | | @ | 90.72/Rem | 97120.00 |
| | 2) Removing BS slab alcrain and stacking etc complete | | | | | | |
| | CR ① | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | CR ② | 2 | 30.00 | – | 1.65 | 99.00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 20.00 | – | 1.65 | 66.00 | |
| | CR⑤ | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 5.00 | – | 1.65 | 16.50 | |
| | CR④ | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 6.00 | – | 1.65 | 19.80 | |
| | CR⑤ | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 24.00 | – | 1.65 | 79.20 | |
| | CR⑥ | 2 | 30.00 | – | 1.65 | 99.00 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of A
Date of commencement of work ...

| Date | Full description, etc, of w |
|---|---|
| 1 | 2 |

| Contents 7 | Reference to last Measurement 8 |
|---|---|
| 99.00 | |
| 66.00 | |
| 99.00 | |
| 99.00 | |
| 16.50 | |
| 99.00 | |
| 99.00 | |
| 99.00 | |
| 99.00 | |
| 19.80 | |
| 99.00 | |
| 99.00 | |
| 99.00 | |
| 79.20 | |
| 99.00 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

256105

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 32.00 | – | 1.65 | 105.60 | |
| | CR (7) | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 5.00 | – | 1.65 | 16.50 | |
| | CR (8) | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 24.00 | – | 1.65 | 79.20 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 31.00 | - | 1.65 | 102.30 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 5.00 | - | 1.65 | 16.50 | |
| | | | | | | 3861 = 00 Sqm | |
| | | | | | @ | 50.11/Sqm | 193,475=00 |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ..
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| 3) | Refixing stone slabs f |
| | CR ① |
| | CR ② |
| | CR ③ |
| | CR ④ |

OOK

| | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 102.30 | |
| | 1.65 | 99.00 | |
| | 1.65 | 99.00 | |
| | 1.65 | 16.50 | |
| | | 3861 = 10 Sqm | |
| | | @ 50.11/Sqm | 193,478=00 |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

256106

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| 3) | Refixing stone slabs of drains and pointing in CM (1:3) ~~etc~~ complete | | | | | | |
| | CR ① | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | CR ② | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 20.00 | - | 1.65 | 99.00 | |
| | CR ③ | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 30.00 | - | 1.65 | 99.00 | |
| | | 2 | 5.00 | - | 1.65 | 16.50 | |
| | CR ④ | 2 | 30.00 | - | 1.65 | 99.00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 6.00 | – | 1.65 | 19.80 | |
| | CR (5) | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 24.00 | – | 1.65 | 79.20 | |
| | CR (6) | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 32.00 | – | 1.65 | 105.60 | |
| | CR (7) | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 30.00 | – | 1.65 | 99.00 | |
| | | 2 | 5.00 | – | 1.65 | 16.50 | |
| | CR (8) | 2 | 30.00 | – | 1.65 | 99.00 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agen
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | |

OOK

| dth | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| – | 1·65 | 99.00 | |
| | 1·65 | 99.00 | |
| – | 1·65 | 19.80 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 79.20 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 105.60 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 99.00 | |
| – | 1·65 | 16.50 | |
| – | 1·65 | 99.00 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256107

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 2 | 30·00 | – | 1·65 | 99.00 | |
| | | 2 | 24.00 | – | 1·65 | 79.20 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 30.00 | – | 1·65 | 99.00 | |
| | | 2 | 10.00 | – | 1·65 | 33.00 | |
| | | | | | | 3088.00 Sqm | |
| | | | | | @ | 70.04/Sqm | 216284=00 |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 4) | providing granite slab of selected quality roughly dressed and fixed cement mortar (1:6) including fixing curing etc complete 7.5 cm thickness complete | | | | | | |
| | | 2 | 15.00 | - | 1.65 | 49.50 | |
| | | 2 | 18.00 | - | 1.65 | 59.40 | |
| | | 2 | 17.00 | - | 1.65 | 56.10 | |
| | | 2 | 16.00 | - | 1.65 | 52.80 | |
| | | 2 | 25.00 | - | 1.65 | 82.50 | |
| | | 2 | 12.00 | - | 1.65 | 39.60 | |
| | | 2 | 18.00 | - | 1.65 | 59.40 | |
| | | 2 | 25.00 | - | 1.65 | 82.50 | |
| | | 2 | 19.00 | - | 1.65 | 62.70 | |
| | | 2 | 14.00 | - | 1.65 | 46.20 | |
| | | 2 | 23.00 | - | 1.65 | 75.90 | |
| | | 2 | 21.00 | - | 1.65 | 69.30 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ...
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| 5) | Scarifying existing sl... bituminous surface p... material with lead up t... CR ① |

OOK

| dth | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| | | roughly dressed and fixed | |
| ess | | complete 7.5 cm thick ess complete | |
| | 1.65 | 49.50 | |
| | 1.65 | 59.40 | |
| | 1.65 | 56.10 | |
| | 1.65 | 52.80 | |
| | 1.65 | 82.50 | |
| | 1.65 | 29.60 | |
| | 1.65 | 59.40 | |
| | 1.65 | 82.50 | |
| | 1.65 | 62.70 | |
| | 1.65 | 46.20 | |
| | 1.65 | 75.90 | |
| | 1.65 | 69.30 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

256108

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 2 | 18.00 | – | 1.65 | 59.40 | |
| | | | | | | 792.00 Rm | |
| | | | | | @ | 343.44/Rm | 2,72,004 = 00 |
| 5) | Scarifying existing stone metal layers upto 75 mm thick along with their bituminous surface picking up scarified material and stacking of old serviceable material with lead upto 2km ess complete | | | | | | |
| | CR ① | 1 | 30.00 | (6.6 + 6.9)/2 | – | 202.50 | |
| | | 1 | 30.00 | (6.9 + 7.4)/2 | – | 214.50 | |
| | | 1 | 30.00 | (7.4 + 7.3)/2 | – | 220.50 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | CR (2) | 1 | 30.00 | $\frac{(4.6+5.0)}{2}$ | - | 144.00 | |
| | | 1 | 30.00 | $\frac{(5.0+5.5)}{2}$ | - | 157.50 | |
| | | 1 | 20.00 | $\frac{(5.5+5.4)}{2}$ | - | 109.00 | |
| | CR (3) | 1 | 30.00 | $\frac{(3.6+3.8)}{2}$ | - | 111.00 | |
| | | 1 | 30.00 | $\frac{(3.8+4.3)}{2}$ | - | 121.50 | |
| | | 1 | 5.00 | $\frac{(4.3+4.5)}{2}$ | - | 22.00 | |
| | CR (4) | 1 | 30.00 | $\frac{(5.4+5.2)}{2}$ | - | 156.00 | |
| | | 1 | 30.00 | $\frac{(5.0+5.3)}{2}$ | - | 154.50 | |
| | | 1 | 30.00 | $\frac{(5.3+5.4)}{2}$ | - | 156.00 | |
| | | 1 | 30.00 | $\frac{(5.1+5.6)}{2}$ | - | 160.50 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ..
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | CR (5) |
| | CR (6) |

OOK

| dth | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| (5·0) / 2 | - | 144·00 | |
| (5·5) / 2 | - | 157·50 | |
| (5·4) / 2 | - | 108·00 | |
| (3·8) / 2 | - | 111·00 | |
| (4·3) / 2 | - | 121·50 | |
| (4·5) / 2 | - | 22·00 | |
| (5·0) / 2 | - | 156·00 | |
| (5·5) / 2 | - | 154·50 | |
| (5·4) / 2 | - | 156·00 | |
| (5·6) / 2 | - | 160·50 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256109

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 1 | 6·00 | (5·6+6·0)/2 | - | 34·80 | |
| | CR (5) | 1 | 30·00 | (4·5+4·7)/2 | - | 138·00 | |
| | | 1 | 30·00 | (4·7+4·6)/2 | - | 139·50 | |
| | | 1 | 30·00 | (4·6+4·5)/2 | - | 136·50 | |
| | | 1 | 24·00 | (4·5+5·0)/2 | - | 114·00 | |
| | CR (6) | 1 | 30·00 | (5·8+5·8)/2 | - | 174·50 | |
| | | 1 | 30·00 | (5·8+6·2)/2 | - | 181·50 | |
| | | 1 | 30·00 | (6·2+5·2)/2 | - | 171·00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 32.00 | $\frac{(5.2+5.4)}{2}$ | - | 169.60 | |
| | CR(7) | 1 | 30.00 | $\frac{(4.8+5.2)}{2}$ | - | 151.50 | |
| | | 1 | 30.00 | 5.20 | - | 156.00 | |
| | | 1 | 30.00 | $\frac{(5.2+4.8)}{2}$ | - | 150.00 | |
| | | 1 | 30.00 | $\frac{(4.8+4.8)}{2}$ | - | 145.50 | |
| | | 1 | 5.00 | $\frac{(4.8+5.1)}{2}$ | - | 25.00 | |
| | CR(8) | 1 | 30.00 | 4.00 | - | 120.00 | |
| | | 1 | 30.00 | 4.00 | - | 120.00 | |
| | | 1 | 30.00 | 4.00 | - | 120.00 | |
| | | 1 | 24.00 | 4.00 | - | 96.00 | |
| | | 1 | 30.00 | $\frac{(5.6+5.4)}{2}$ | - | 165.00 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of
Date of commencement of work

| Date | Full description, etc, of |
|---|---|
| 1 | 2 |

NT BOOK

| mensions | | | Contents | Reference to last Measurement |
|---|---|---|---|---|
| n | Breadth 5 | Depth 6 | 7 | 8 |
| 0 | (5.2+5.4)/2 | - | 169.60 | |
| 0 | (4.9+5.2)/2 | - | 151.50 | |
| 0 | 5.20 | - | 156.00 | |
| 0 | (5.2+4.8)/2 | - | 150.00 | |
| 00 | (4.8+4.9)/2 | - | 145.50 | |
| 0 | (4.9+5.1)/2 | - | 25.00 | |
| 00 | 4.00 | - | 120.00 | |
| 00 | 4.00 | - | 120.00 | |
| 00 | 4.00 | - | 120.00 | |
| 00 | 4.00 | - | 96.00 | |
| 0.00 | (5.6+5.4)/2 | - | 165.00 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256110

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 1 | 30.00 | 5.40 | - | 162.00 | |
| | | 1 | 30.00 | (5.4+5.8)/2 | - | 168.00 | |
| | | 1 | 30.00 | (5.8+6.2)/2 | - | 180.00 | |
| | | 1 | 30.00 | 4.80 | - | 144.00 | |
| | | 1 | 30.00 | (4.8+4.7)/2 | - | 142.50 | |
| | | 1 | 30.00 | (4.7+4.8)/2 | - | 144.00 | |
| | | 1 | 30.00 | 4.90 | - | 147.00 | |
| | | 1 | 30.00 | (4.8+4.8)/2 | - | 150.35 | |
| | | 1 | 30.00 | (4.8+5.00)/2 | - | 147.00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 30.00 | (50+51)/2 | - | 151.50 | |
| | | 1 | 33.00 | (51+54)/2 | - | 173.25 | |
| | | | | | | 6435:00 Sq.m | |
| | | | | | | @ 72.79/Sq.m | 468404:00 |
| | | | | | | | |

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬೆಂಗಳೂರು-26

Present continued on : 18.6.2014

ಸಹಾಯಕ ಅಭಿಯಂತರರು 18/6/14.
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

6) Providing laying, spreading and compacting graded stone aggregates to wet mix macadam specifications including premixing the materials with water at OMC in mechanical mix plant carriage &c. etc complete

| | | | | | | |
|---|---|---|---|---|---|---|
| CR① | 1 | 30.00 | (66+68)/2 | 0.20 | 40.50 | |
| | 1 | 30.00 | (68+74)/2 | 0.20 | 42.90 | |
| | 1 | 30.00 | (74+73)/2 | 0.20 | 44.10 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | CR ② |
| | CR ③ |
| | CR ④ |

T BOOK

| ensions | | | Contents | Reference to last Measurement |
|---|---|---|---|---|
| | Breadth 5 | Depth 6 | 7 | 8 |
| (50+51)/2 | - | | 151.50 | |
| (51+54)/2 | - | | 173.25 | |
| | | | 6435:00 Rs | |
| | | | @ 72.79/Rs | 468404:00 |
| | | | | ಸಹಾಯಕ ಅಭಿಯಂತರರು 18/6/14. |
| | | | | ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ |
| compacting | | | | |
| including | | | | |
| mix plant | | | | |
| 00 | (66+69)/2 | 0.20 | 40.50 | |
| 00 | (69+74)/2 | 0.20 | 42.90 | |
| 00 | (74+73)/2 | 0.20 | 44.10 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256111

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | CR (2) | 1 | 30.00 | (4.6+5.0)/2 | 0.20 | 28.80 | |
| | | 1 | 30.00 | (5.0+5.5)/2 | 0.20 | 31.50 | |
| | | 1 | 20.00 | (5.5+5.4)/2 | 0.20 | 21.80 | |
| | CR (3) | 1 | 30.00 | (3.6+3.8)/2 | 0.20 | 22.20 | |
| | | 1 | 30.00 | (3.8+4.3)/2 | 0.20 | 24.30 | |
| | | 1 | 5.00 | (4.3+4.5)/2 | 0.20 | 4.40 | |
| | CR (4) | 1 | 30.00 | (5.4+5.0)/2 | 0.20 | 31.20 | |
| | | 1 | 30.00 | (5.0+5.3)/2 | 0.20 | 30.90 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 30.00 | $\frac{(5.3+5.1)}{2}$ | 0.20 | 31.20 | |
| | | 1 | 30.00 | $\frac{(5.1+5.6)}{2}$ | 0.20 | 32.10 | |
| | | 1 | 6.00 | $\frac{(5.6+6.0)}{2}$ | 0.20 | 6.96 | |
| | CR (5) | 1 | 30.00 | $\frac{(4.5+4.7)}{2}$ | 0.20 | 27.60 | |
| | | 1 | 30.00 | $\frac{(4.7+4.6)}{2}$ | 0.20 | 27.90 | |
| | | 1 | 30.00 | $\frac{(4.6+4.5)}{2}$ | 0.20 | 27.30 | |
| | | 1 | 24.00 | $\frac{(4.5+5.0)}{2}$ | 0.20 | 22.80 | |
| | CR (6) | 1 | 30.00 | $\frac{(5.8+5.9)}{2}$ | 0.20 | 35.10 | |
| | | 1 | 30.00 | $\frac{(5.9+6.2)}{2}$ | 0.20 | 36.30 | |
| | | 1 | 30.00 | $\frac{(6.2+5.2)}{2}$ | 0.20 | 34.20 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | CR (4) |
| | CR (7) |

OK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| 0.20 | 31.20 | |
| 0.20 | 32.10 | |
| 0.20 | 6.86 | |
| 0.20 | 27.60 | |
| 0.20 | 27.90 | |
| 0.20 | 27.30 | |
| 0.20 | 22.80 | |
| 0.20 | 35.10 | |
| 0.20 | 36.30 | |
| 0.20 | 34.20 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B
256112

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 1 | 32.00 | $\frac{(5.2+5.4)}{2}$ | 0.20 | 33.92 | |
| | CR (1) | 1 | 30.00 | $\frac{(4.8+5.2)}{2}$ | 0.20 | 30.30 | |
| | | 1 | 30.00 | 5.20 | 0.20 | 31.20 | |
| | | 1 | 30.00 | $\frac{(5.2+4.8)}{2}$ | 0.20 | 30.00 | |
| | | 1 | 30.00 | $\frac{(4.8+4.8)}{2}$ | 0.20 | 28.80 | |
| | | 1 | 5.00 | $\frac{(4.8+5.1)}{2}$ | 0.20 | 5.00 | |
| | CR (2) | 1 | 30.00 | 4.00 | 0.20 | 24.00 | |
| | | 1 | 30.00 | 4.00 | 0.20 | 24.00 | |
| | | 1 | 30.00 | 4.00 | 0.20 | 24.00 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 24.00 | 4.00 | 0.20 | 19.20 | |
| | | 1 | 30.00 | $\frac{(5.6+5.4)}{2}$ | 0.20 | 33.00 | |
| | | 1 | 30.00 | 5.40 | 0.20 | 32.40 | |
| | | 1 | 30.00 | $\frac{(5.4+5.8)}{2}$ | 0.20 | 33.60 | |
| | | 1 | 30.00 | $\frac{(5.8+6.2)}{2}$ | 0.20 | 36.00 | |
| | | 1 | 30.00 | 4.80 | 0.20 | 28.80 | |
| | | 1 | 30.00 | $\frac{(4.8+4.7)}{2}$ | 0.20 | 28.50 | |
| | | 1 | 30.00 | $\frac{(4.7+4.8)}{2}$ | 0.20 | 28.80 | |
| | | 1 | 30.00 | 4.90 | 0.20 | 29.40 | |
| | | 1 | 31.00 | $\frac{(4.8+4.8)}{2}$ | 0.20 | 30.07 | |
| | | 1 | 30.00 | $\frac{(4.8+4.9)}{2}$ | 0.20 | 29.40 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of
Date of commencement of work

| Date | Full description, etc, of |
|---|---|
| 1 | 2 |
| | |
| 7) | cleaning the exc |
| | and other foreig |

BOOK

| dth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| 00 | 0.20 | 19.20 | |
| +5.4) / 2 | 0.20 | 33.00 | |
| 40 | 0.20 | 32.40 | |
| +5.8) / 2 | 0.20 | 33.60 | |
| +6.2) / 2 | 0.20 | 36.00 | |
| .80 | 0.20 | 28.80 | |
| 8+4.7) / 2 | 0.20 | 28.80 | |
| 7+4.8) / 2 | 0.20 | 28.80 | |
| 4.90 | 0.20 | 29.40 | |
| .8+4.8) / 2 | 0.20 | 30.07 | |
| .8+4.9) / 2 | 0.20 | 29.40 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256113

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 1 | 30.00 | (4.8+4.8)/2 | 0.20 | 29.40 | |
| | | 1 | 30.00 | (4.8+5.0)/2 | 0.20 | 29.40 | |
| | | 1 | 30.00 | (5.0+5.1)/2 | 0.20 | 30.30 | |
| | | 1 | 33.00 | (5.1+5.4)/2 | 0.20 | 34.65 | |
| | | | | | | 1287.10 cum | |
| | | | | | @ | 1121.04/cum | 1442778:00 |
| 7) | Cleaning the existing WBM road surface including removing ಬೆಳೆಬಾಯಿನಿಕ್ಕರ ಉಂಟು ಬಿಡಿಸಿ and other foreign matter with wire bushes and small picks, sweeping with brooms or | | | | | | |

Measurement continued on: 26.6.2014.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಚಾಮರಾಜನಗರ ಉಪ ವಿಭಾಗ
ಪಿಐಬಿಎಂಪಿ, ಚಾಮರಾಜನಗರ-24

ಸಹಾಯಕ ಅಭಿಯಂತರರು 26/6/14.

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | etc complete | Qty vide item No: 05 | | | | 6435.00 Sqm @ 10.53/Sqm = 67,761.00 | |
| 8) | providing and applying primer coat from 12.2 to 14.6 kg per 10 sqm for surface of high porosity over prepared surface of granular base with cut back MC-70 or any other bitumen etc complete | Qty vide item No: 06 | | | | 6435.00 Sqm @ 142.07/Sqm = 914220.00 | CR (2) |
| 9) | providing and laying semi dense bituminous concrete 25mm thick with 100-120 TPH batch type HMP producing an average output of 75 Tonnes per hour using crushed etc complete | Qty vide item No: 07 | | | | | CR (3) |
| | CROSS Roads | 1 | 30.00 | $\frac{(6.6+6.8)}{2}$ | 0.025 | 5.06 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |

BOOK

| ns | | Contents | Reference to last Measurement |
|---|---|---|---|
| eadth 5 | Depth 6 | 7 | 8 |
| | | | |
| NO: 05 | | 6435.00 Rm | |
| | @ | 10.53/Rm | 67,761:00 |
| 12.2 to 14.6 kg per 10 sqm for | | | |
| face of granular base with cut back | | | |
| te | | | |
| item NO: ⑤ | | 6435:00 Rm | |
| | @ | 142.07/Rm | 914220:00 |
| bituminous concrete 25mm thick | | | |
| producing an average output of 75 | | | |
| mplete | | | |
| (6.6+6.8)/2 | 0.025 | 5.06 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

256114

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | | 1 | 30.00 | (6.9+7.4)/2 | 0.025 | 5.36 | |
| | | 1 | 30.00 | (7.4+7.3)/2 | 0.025 | 5.51 | |
| | CR ② | 1 | 30.00 | (4.6+5.0)/2 | 0.025 | 3.60 | |
| | | 1 | 30.00 | (5.0+5.5)/2 | 0.025 | 3.94 | |
| | | 1 | 20.00 | (5.5+5.4)/2 | 0.025 | 2.73 | |
| | CR ③ | 1 | 30.00 | (3.6+3.8)/2 | 0.025 | 2.78 | |
| | | 1 | 30.00 | (3.8+4.3)/2 | 0.025 | 3.04 | |
| | | 1 | 5.00 | (4.3+4.5)/2 | 0.025 | 0.55 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | CR ④ | 1 | 30.00 | $\frac{(5.4+5.0)}{2}$ | 0.025 | 3.80 | |
| | | 1 | 30.00 | $\frac{(5.0+5.3)}{2}$ | 0.025 | 3.86 | |
| | | 1 | 30.00 | $\frac{(5.3+5.1)}{2}$ | 0.025 | 3.90 | |
| | | 1 | 30.00 | $\frac{(5.1+5.6)}{2}$ | 0.025 | 4.01 | |
| | | 1 | 6.00 | $\frac{(5.6+6.0)}{2}$ | 0.025 | 0.87 | |
| | CR ⑤ | 1 | 30.00 | $\frac{(4.5+4.7)}{2}$ | 0.025 | 3.45 | |
| | | 1 | 30.00 | $\frac{(4.7+4.6)}{2}$ | 0.025 | 3.49 | |
| | | 1 | 30.00 | $\frac{(4.6+4.3)}{2}$ | 0.025 | 3.41 | |
| | | 1 | 24.00 | $\frac{(4.5+5.0)}{2}$ | 0.025 | 2.85 | |
| | CR ⑥ | 1 | 30.00 | $\frac{(5.8+5.9)}{2}$ | 0.025 | 4.39 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of A
Date of commencement of work ..

| Date | Full description, etc, of v |
|---|---|
| 1 | 2 |

OOK

| dth | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| 5·0) | 0·025 | 3·80 | |
| 5·3) | 0·025 | 3·86 | |
| 5·1) | 0·025 | 3·90 | |
| 5·6) | 0·025 | 4·01 | |
| 6·0) | 0·025 | 0·87 | |
| 4·7) | 0·025 | 3·45 | |
| 4·6) | 0·025 | 3·49 | |
| 4·3) | 0·025 | 3·41 | |
| 5·0) | 0·025 | 2·85 | |
| 5·9) | 0·025 | 4·39 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256115

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 1 | 30·00 | (5·8+6·2)/2 | 0·025 | 4·54 | |
| | | 1 | 30·00 | (6·2+5·2)/2 | 0·025 | 4·28 | |
| | | 1 | 32·00 | (5·2+5·4)/2 | 0·025 | 4·24 | |
| | CR ⑦ | 1 | 30·00 | (4·8+5·2)/2 | 0·025 | 3·79 | |
| | | 1 | 30·00 | 5·20 | 0·025 | 3·90 | |
| | | 1 | 30·00 | (5·2+4·8)/2 | 0·025 | 3·75 | |
| | | 1 | 30·00 | (4·8+4·9)/2 | 0·025 | 3·64 | |
| | | 1 | 5·00 | (4·8+5·1)/2 | 0·025 | 0·63 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | CR (8) | 1 | 30.00 | 4.00 | 0.025 | 3.00 | |
| | | 1 | 30.00 | 4.00 | 0.025 | 3.00 | |
| | | 1 | 30.00 | 4.00 | 0.025 | 3.00 | |
| | | 1 | 24.00 | 4.00 | 0.025 | 2.40 | |
| | CR (9) | 1 | 30.00 | $\frac{(5.6+5.4)}{2}$ | 0.025 | 4.13 | |
| | | 1 | 30.00 | 5.40 | 0.025 | 4.05 | |
| | | 1 | 30.00 | $\frac{(5.4+5.8)}{2}$ | 0.025 | 4.20 | |
| | | 1 | 30.00 | $\frac{(5.8+6.2)}{2}$ | 0.025 | 4.50 | |
| | | 1 | 30.00 | 4.80 | 0.025 | 3.60 | |
| | | 1 | 30.00 | $\frac{(4.8+4.7)}{2}$ | 0.025 | 3.56 | |
| | | 1 | 30.00 | $\frac{(4.7+4.9)}{2}$ | 0.025 | 3.60 | |
| | | 1 | 30.00 | $\frac{(4.9+4.8)}{2}$ | 0.025 | 3.76 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | CR (10) |
| | GRFC for |
| | 28/6/2 |
| | 10) lead for disposal of means including loco |

BOOK

| ons | | Contents | Reference to last Measurement |
|---|---|---|---|
| readth 5 | Depth 6 | 7 | 8 |
| 4.00 | 0.025 | 3.00 | |
| 4.00 | 0.025 | 3.00 | |
| 4.00 | 0.025 | 3.00 | |
| 4.00 | 0.025 | 2.40 | |
| (3.6+3.4)/2 | 0.025 | 4.13 | |
| 3.40 | 0.025 | 4.05 | |
| (3.4+3.8)/2 | 0.025 | 4.20 | |
| (3.8+6.2)/2 | 0.025 | 4.50 | |
| 4.80 | 0.025 | 3.60 | |
| (4.8+4.7)/2 | 0.025 | 3.56 | |
| (4.7+4.9)/2 | 0.025 | 3.60 | |
| (4.9+4.8)/2 | 0.025 | 3.76 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256116

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | CR (10) | 1 | 30.00 | (4.8+4.9)/2 | 0.025 | 3.64 | |
| | | 1 | 30.00 | (4.9+4.8)/2 | 0.025 | 3.64 | |
| | | 1 | 30.00 | (4.8+5.0)/2 | 0.025 | 3.68 | |
| | | 1 | 30.00 | (5.0+5.1)/2 | 0.025 | 3.79 | |
| | | 1 | 33.00 | (5.1+5.4)/2 | 0.025 | 4.33 | |
| | | | | | | 160.88 cum | |
| | | | | | @ | 9981.36/cum | 160,5801 = 00 |
| 10) | lead for disposal of debris shall be payable at carriage rates by mechanical means including loading and unloading etc complete | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | |

Qty vide Item No: (6) 1070.55 cum

@ 72.71/cum 77840=00

Subtotal = 53,55,687=00

Add K.R.I.D.L charges @ 11% 5,89,126=00

Add Third party inspection charge 1% 53,557=00

5,98,370=00

Subtotal 59,49,999=00

Certified that the work done is satisfactorily.

26/6/14.

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಕೃಷ್ಣರಾಜಸಾಗರದ ಎಡದಂಡೆ ಎಡಕಾಲುವೆ ವಿಭಾಗ
ಮಂಡ್ಯ, ಪಿನ್‌ಕೋಡ್-24

26/6/14

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | |

Sketch sh

153

2

114

125

Amara

BOOK

| ns | | Contents | Reference to last Measurement |
|---|---|---|---|
| adth 5 | Depth 6 | 7 | 8 |
| Item No: (6) 1070.55 cy | | | |
| @ 72.71 / cy | | 77840=00 | |
| | | Subtotal = 53,55,687=00 | |
| d charges @ 11% | | 5,89,126=00 | |
| ty inspection charge 1% | | 53,557=00 | |
| | | 59,98,370=00 | |
| | | 59,99,999=00 | |
| done in satisfactorily. | | | |
| | | 26/6/14. | |

26/6/14

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256117

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | Sketch showing the location of work done spot: | | | | | | |




ಸಹಾಯಕ ಅಭಿಯಂತರರು 16/14.
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | 5944815=00<br>894816=00<br>50499999=00 | | IT<br>1ST<br>FST<br>CWR<br>CRP<br>RRW<br>Fire | 118896<br>237793<br>386413<br>594448<br>5945<br>83321<br>3000<br>894816=00 | | | |

Bill No. 1st and Final

Serial No. BR 228/31-

Name of Work Improvements

Name of Contractor of nature of Agency

Date of commencement of work

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | Work code No: 006<br>Work order No: 430<br>Est Amt: 20.00<br><br>1) Earth work excavat<br>horizontal upto 2m<br>Drilling & drain<br>CR① |